

Gauges



Gauges Deluxe

Hourmeter black face

06397-ZW5-U10

- Analogue display, 9999 hours, flat lens, drilling diameter 53 mm
- Required parts: 32540-ZV5-911, 32550-ZW5-U00

Application as from BF75 up to BF225



Hourmeter white face

06397-ZW5-U00

- Analogue display, 9999 hours, flat lens, drilling diameter 53 mm
- Required parts: 32540-ZV5-911, 32550-ZW5-U00

Application as from BF75 up to BF225



Speedometer

06373-ZW5-U10

- Black face, white italic letters & needle 10-50 mph (20-80 km/h), flat lens, drilling diameter 86 mm
- Required parts: 32540-ZV5-911, 32550-ZW5-U00

Application as from BF75 up to BF225



Speedometer

06373-ZW5-U00

- White face, black italic letters & needle 10-50 mph (20-80 km/h), flat lens, drilling diameter 86 mm
- Required parts: 32540-ZV5-911, 32550-ZW5-U00

Application as from BF75 up to BF225



Gauges



Gauges Deluxe

Tachometer

06375-ZW5-U10

- Black face, white italic letters & needle 0-7000 rpm, flat lens, drilling diameter 86 mm
- Required part: 32540-ZV5-911

Application as from BF75 up to BF225



Tachometer

06375-ZW5-U00

- White face, black italic letters & needle 0-7000 rpm, flat lens, drilling diameter 86 mm
- Required part: 32540-ZV5-911

Application as from BF75 up to BF225



Trim meter

06372-ZW5-U10

- Black face, white markings & needle
- Up & down indicator, flat lens, drilling diameter 53 mm
- Required part: 32540-ZV5-911

Application as from BF75 up to BF225



Trim meter

06372-ZW5-U00

- White face, black markings & needle
- Up & down indicator, flat lens, drilling diameter 53 mm
- Required part: 32540-ZV5-911

Application as from BF75 up to BF225



Gauges



Gauges Deluxe

Voltmeter

06374-ZW5-U10

- Black face, white italic letters & needle
- 8-16 volts indicator, flat lens, drilling diameter 53 mm
- Required parts: 32540-ZV5-911, 32550-ZW5-U00

Application as from BF75 up to BF225



Voltmeter

06374-ZW5-U00

- White face, black italic letters & needle
- 8-16 volts indicator, flat lens, drilling diameter 53 mm
- Required parts: 32540-ZV5-911, 32550-ZW5-U00

Application as from BF75 up to BF225



Tachometer

37250-ZV5-823

- 0-7000 rpm, black face, flat lens, white letters & yellow needle, drilling diameter 86 mm
- Required part: 32540-ZV5-911

Application as from BF40, BF50



Tachometer

37250-ZV7-912

- 0-7000 rpm, black face, flat lens, white letters & yellow needle, drilling diameter 86 mm
- Required part: 32540-ZV5-911

*Application as from BF20 up to BF30
BF75 up to BF130*



Gauges



Gauges Deluxe

Tachometer

37250-ZW9-901

- 0-7000 rpm, black face, flat lens, white letters & yellow needle, drilling diameter 86 mm
- Required part: 32540-ZV5-911

Application as from BF8 up to BF20



Trim meter

37260-ZV5-821

- Up & down indicator, black face, flat lens, white markings & yellow needle, drilling diameter 53 mm
- Required part: 32540-ZV5-911

Application as from BF40 up to BF130



Speedometer

06372-ZV5-950AH

- 5-35 mph (10-55 km/h)
- Black face, flat lens, white letters & yellow needle, drilling diameter 86 mm
- BF35 – BF130 have pitot tube in gearcase
- Required parts: 32540-ZV5-911 and 32550-ZV5-910

Application as from BF40 up to BF130



Tachometer

37250-ZV5-950AH

- 0-7000 rpm, black face, flat lens, white letters & yellow needle, drilling diameter 86 mm
- Required part: 32540-ZV5-911

Application as from BF20 up to BF130



Gauges




Gauges Deluxe

Voltmeter

37450-ZV5-911

- 8-18 volts indicator
- Black face, flat lens, drilling diameter 53 mm
- Required parts: 32540-ZV5-911 and 32550-ZV5-910

Application as from BF20 up to BF130



Hourmeter

39700-ZV5-800AH

- Digital 0-9999 hours indicator, 2 operating modes resettable
- Black face, flat lens, drilling diameter 53 mm
- Required parts: 32540-ZV5-911 and 32550-ZV5-910

Application as from BF20 up to BF130

Does not work with BF25 untill BF50A4 tiller handle models



Dual assy meter with Tacho/Hour meter function

08174-881-000AH

- A five digit LCD display reads up to 99999 rpm in 20 rpm increments and displays up to 9999.9 hours of engine operation before resetting to zero

Application as from BF2 up to BF20



Gauges



Gauges Advantage

Instrument set

06300-ZW5-010ZA

- Black face, white letters, yellow needle
- Includes 5 gauges: 0-7000 rpm/digital hour meter, 10-60 mph (30-95 km/h) speedometer, 10-16 voltmeter, 240-33 ohms fuel gauge, trim meter, drilling diameter 86 mm (rpm & speed) and 53 mm (volt, fuel, trim), flat lens
- Required part: 32103-ZW7-000AH




Application as from BF40 up to BF225

Instrument set

06300-ZW5-010ZB

- White face, black letters & needle
- Includes 5 gauges: 0-7000 rpm/digital hour meter, 10-60 mph (30-95 km/h) speedometer, 10-16 voltmeter, 240-33 ohms fuel gauge, trim meter, drilling diameter 86 mm (rpm & speed) and 53 mm (volt, fuel, trim), flat lens
- Required part: 32103-ZW7-000AH



Application as from BF40 up to BF225

Instrument set

06320-ZW5-00ZAE

- Black face, white letters, yellow needle
- Includes 5 gauges: 0-7000 rpm/digital hour meter, 10-60 mph (30-95 km/h) speedometer, 10-16 voltmeter, 10-180 ohms fuel gauge, trim meter, drilling diameter 86 mm (rpm & speed) and 53 mm (volt, fuel, trim), flat lens
- Required part: 32103-ZW7-000AH




Application as from BF40 up to BF225

Instrument set

06310-ZW5-00ZBE

- White face, black letters, yellow needle
- Includes 5 gauges: 0-7000 rpm/digital hour meter, 10-60 mph (30-95 km/h) speedometer, 10-16 voltmeter, 10-180 ohms fuel gauge, trim meter, drilling diameter 86 mm (rpm & speed) and 53 mm (volt, fuel, trim), flat lens
- Required part: 32103-ZW7-000AH



Application as from BF40 up to BF225

Gauges



Gauges Advantage

Water pressure meter

37350-ZW5-000ZA

- Black face, white letters, yellow needle
- 0-30 PSI scale, including tubing and engine fitting, flat lens, drilling diameter 53 mm
- Required part: 32103-ZW7-000AH, 19271-ZV5-000AH

Application as from BF75 up to BF225



Water pressure meter

37350-ZW5-000ZB

- White face, black letters & needle
- 0-30 PSI scale, including tubing and engine fitting, flat lens, drilling diameter 53 mm
- Required part: 32103-ZW7-000AH, 19271-ZV5-000AH

Application as from BF75 up to BF225



Black fuel meter

37300-ZW5-000ZA

- Black fuel meter flat lens, white letters, yellow needle
- For inbuilt fuel tanks
- Drilling diameter 53 mm
- Ohms 240-33

Application as from BF75 up to BF225



White fuel meter

37300-ZW5-000ZB

- White fuel meter flat lens, black letters & needle
- For inbuilt fuel tanks
- Drilling diameter 53 mm
- Ohms 240-33

Application as from BF75 up to BF225



Gauges



Gauges Advantage

Black fuel meter

37320-ZW5-00ZAE

- Black fuel meter flat lens, white letters, yellow needle
- For inbuilt fuel tanks
- Drilling diameter 53 mm
- Ohms 10-180

Application as from BF75 up to BF225



White fuel meter

37310-ZW5-00ZBE

- White fuel meter flat lens, black letters & needle
- For inbuilt fuel tanks
- Drilling diameter 53 mm
- Ohms 10-180

Application as from BF75 up to BF225



Tacho/hourmeter

37250-ZW5-010ZA

- Black face, white letters & yellow needle
- 0-7000 rpm & digital hour meter, flat lens, drilling diameter 86 mm
- Required part: 32103-ZW7-000AH

Application as from BF75 up to BF225



Tacho/hourmeter

37250-ZW5-010ZB

- White face, black letters & needle
- 0-7000 rpm & digital hour meter, flat lens, drilling diameter 86 mm
- Required part: 32103-ZW7-000AH

Application as from BF75 up to BF225



Gauges



Gauges Advantage

Hourmeter

39700-ZW5-000ZA

- Black face
- Analogue 9999 hour meter, flat lens, drilling diameter 53 mm
- Required part: 32103-ZW7-000AH

Application as from BF75 up to BF225



Hourmeter

39700-ZW5-000ZB

- White face
- Analogue 9999 hour meter, flat lens, drilling diameter 53 mm
- Required part: 32103-ZW7-000AH

Application as from BF75 up to BF225



Speedometer

37200-ZW5-000ZA

- Black face, white letters & yellow needle
- 10-60 mph (30-95 km/h), flat lens, drilling diameter 86 mm
- Required part: 32103-ZW7-000AH

Application as from BF75 up to BF225



Speedometer

37200-ZW5-000ZB

- White face, black letters & needle
- 10-60 mph (30-95 km/h), flat lens, drilling diameter 86 mm
- Required part: 32103-ZW7-000AH

Application as from BF75 up to BF225



Gauges



Gauges Advantage

Voltmeter

37450-ZW5-000ZA

- Black face, white letters, yellow needle
- 10-16 volts indicator, flat lens, drilling diameter 53 mm
- Required part: 32103-ZW7-000AH

Application as from BF40 up to BF225




Voltmeter

37450-ZW5-000ZB

- White face, black letters & needle
- 10-16 volts indicator, flat lens, drilling diameter 53 mm
- Required part: 32103-ZW7-000AH

Application as from BF40 up to BF225




Trim meter

37260-ZW5-000ZA

- Black face, white markings, yellow needle
- Up & down indicator, flat lens, drilling diameter 53 mm
- Required part: 32103-ZW7-000AH

Application as from BF40 up to BF225



Trim meter

37260-ZW5-000ZB

- White face, black markings & needle
- Up & down indicator, flat lens, drilling diameter 53 mm
- Required part: 32103-ZW7-000AH

Application as from BF40 up to BF225



Gauges



Gauges Fog Resistance

Instrument set

06303-ZW5-000ZB

- White face, black letters & red illuminated needle
- Includes 5 gauges: 0-7000rpm / digital hour meter, 10-65 mph / 20-100 km/h speedometer, 8-18 voltmeter, 240-33 ohms fuel gauge, trim meter, drilling diameter 86mm (rpm & speed) and 53mm (volt, fuel, trim), domed lens
- Required part: 32200-ZW7-000AH



Application as from BF40 up to BF225

Instrument set

06303-ZW5-000ZA

- Black face, white letters & white illuminated needle
- Includes 5 gauges: 0-7000rpm / digital hour meter, 10-65 mph / 20-100 km/h speedometer, 8-18 voltmeter, 240-33 ohms fuel gauge, trim meter, drilling diameter 86mm (rpm & speed) and 53mm (volt, fuel, trim), domed lens
- Required part: 32200-ZW7-000AH



Application as from BF40 up to BF225

Instrument set

06304-ZW5-000ZB

- White face, black letters & red illuminated needle
- Includes 5 gauges: 0-7000rpm / digital hour meter, 10-65 mph / 20-100 km/h speedometer, 8-18 voltmeter, 18-180 ohms fuel gauge, trim meter, drilling diameter 86mm (rpm & speed) and 53mm (volt, fuel, trim), domed lens
- Required part: 32200-ZW7-000AH



Application as from BF40 up to BF225

Instrument set

06304-ZW5-000ZA

- Black face, white letters & white illuminated needle
- Includes 5 gauges: 0-7000rpm / digital hour meter, 10-65 mph / 20-100 km/h speedometer, 8-18 voltmeter, 18-180 ohms fuel gauge, trim meter, drilling diameter 86mm (rpm & speed) and 53mm (volt, fuel, trim), domed lens
- Required part: 32200-ZW7-000AH



Application as from BF40 up to BF225

Gauges



Gauges Fog Resistance

Speedometer

37203-ZW5-000ZB

- White face, black letters & red illuminated needle
- 10-65mph / 20-100 km/h, domed lens, drilling diameter 86mm
- Required part: 32200-ZW7-000AH

Application as from BF40 up to BF225



Speedometer

37203-ZW5-000ZA

- Black face, white letters & white illuminated needle
- 10-65mph / 20-100 km/h, domed lens, drilling diameter 86mm
- Required part: 32200-ZW7-000AH

Application as from BF40 up to BF225



Tacho / hourmeter

37253-ZW5-000ZB

- White face, black letters & red illuminated needle
- 0-7000 rpm & digital hour meter, domed lens, drilling diameter 86mm
- Required part: 32200-ZW7-000AH

Application as from BF40 up to BF225



Tacho / hourmeter

37253-ZW5-000ZA

- Black face, white letters & white illuminated needle
- 0-7000 rpm & digital hour meter, domed lens, drilling diameter 86mm
- Required part: 32200-ZW7-000AH

Application as from BF40 up to BF225



Gauges



Gauges Fog Resistance

Trim meter

37263-ZW5-000ZB

- White face, black letters & red illuminated needle
- Up & down indicator, domed lens, drilling diameter 53mm
- Required part: 32200-ZW7-000AH

Application as from BF40 up to BF225



Trim meter

37263-ZW5-000ZA

- Black face, white letters & white illuminated needle
- Up & down indicator, domed lens, drilling diameter 53mm
- Required part: 32200-ZW7-000AH

Application as from BF40 up to BF225



Voltmeter

37453-ZW5-000ZB

- White face, black letters & red illuminated needle
- 8-18 volts indicator, domed lens, drilling diameter 53mm
- Required part: 32200-ZW7-000AH

Application as from BF40 up to BF225



Voltmeter

37453-ZW5-000ZA

- Black face, white letters & white illuminated needle
- 8-18 volts indicator, domed lens, drilling diameter 53mm
- Required part: 32200-ZW7-000AH

Application as from BF40 up to BF225



Gauges



Gauges Fog Resistance

Fuel meter

37303-ZW5-000ZB

- White fuel meter domed lens, black letters & red illuminated needle.
- For inbuilt fuel tanks
- Drilling diameter 53 mm
- Ohms 240-33

Application as from BF40 up to BF225



Fuel meter

37303-ZW5-000ZA

- Black fuel meter domed lens, white letters & white illuminated needle.
- For inbuilt fuel tanks
- Drilling diameter 53 mm
- Ohms 240-33

Application as from BF40 up to BF225



Fuel meter

37304-ZW5-000ZB

- White fuel meter domed lens, black letters & red illuminated needle.
- For inbuilt fuel tanks
- Drilling diameter 53 mm
- Ohms 10-180

Application as from BF40 up to BF225



Fuel meter

37304-ZW5-000ZA

- Black fuel meter domed lens, white letters & white illuminated needle.
- For inbuilt fuel tanks
- Drilling diameter 53 mm
- Ohms 10-180

Application as from BF40 up to BF225



Gauges



Gauges Fog Resistance

Water pressure meter

37353-ZW5-000ZB

- White face, black letters & red illuminated needle
- 0-30PSI scale, including tubing and engine fitting, domed lens, drilling diameter 53mm
- Required part: 32200-ZW7-000AH

Application as from BF40 up to BF225



Water pressure meter

37353-ZW5-000ZA

- Black face, white letters & white illuminated needle
- 0-30PSI scale, including tubing and engine fitting, domed lens, drilling diameter 53mm
- Required part: 32200-ZW7-000AH

Application as from BF40 up to BF225



Gauges




Gauges Fog Resistance Charcoal Grey Knots

Instrument set

06300-ZW5-003SK

- Charcoal grey, Chromed ring, black letters & red illuminated needle
- Includes 4 gauges: 0-7000rpm / digital hour meter, 10-50 knots speedometer, 240-33 ohms fuel gauge, trim meter, drilling diameter 86mm (rpm & speed) and 53mm (fuel, trim), domed lens
- Required part: 32200-ZW7-000AH



Application as from BF40 up to BF225

Speedometer

37200-ZW5-003SK

- Charcoal grey, chromed ring, black letters & red illuminated needle
- 10-50 knots, domed lens, drilling diameter 86mm.
- Required part: 32200-ZW7-000AH

Application as from BF40 up to BF225



Tacho / hourmeter

37250-ZW5-003SK

- Charcoal grey, black letters & red illuminated needle
- 0-7000rpm & digital hour meter, domed lens, drilling diameter 86mm
- Required part: 32200-ZW7-000AH

Application as from BF40 up to BF225



Trim meter

37260-ZW5-003SK

- Charcoal grey, black letters & red illuminated needle
- Up & down indicator, domed lens, drilling diameter 53mm
- Required part: 32200-ZW7-000AH

Application as from BF40 up to BF225



Gauges



Gauges Fog Resistance Charcoal Grey Knots

Fuel meter

37300-ZW5-003SK

- Charcoal grey fuel meter domed lens, black letters & red illuminated needle
- For inbuilt fuel tanks
- Drilling diameter 53 mm
- Ohms 240-33

Application as from BF40 up to BF225



Voltmeter

37450-ZW5-003SK

- Charcoal grey, Chromed ring, black letters & red illuminated needle
- 10-16 volts indicator, domed lens, drilling diameter 53 mm
- Required part: 32200-ZW7-000AH

Application as from BF40 up to BF225



Gauges



Notes

A series of horizontal dotted lines for taking notes, spanning the width of the page.